









Germany 1928

digital Think On. Create.

www.rotring.com



paper






rOtring was born in 1928, in the era of the influential Bauhaus design school in Germany. Their modernist "Art into Industry" philosophy still inspires our unique approach to industrial design. We design tools to enable people to think and create whenever inspiration takes them. Our creative tools are engineered with German precision ensuring premium performance.









Content Table



mechanical pencils

800 +	6
800	7
600	7
500	8
300	8
Rapid Pro	9
Tikky mechanical pencils	10
Leads & erasers	12





pens

Rapid Pro ballpoint & refills	16
Tikky 3in1 & refills	16
Tikky ballpoint	17
Tikky Graphic	17



technical pens

Rapidograph	22
Isograph	24
Inks and accessories	26

calligraphy pen

ArtPen	28
nks and accessories	29



compasses

Convex compasses	32
Centro compasses	32
Compact compasses	34
Accessories	35

drawing aids

Centro aids	38
Triangular reduction scales	39
Lettering stencils	40
Templates	40

drawing boards

Drawing table	44
rapid	44
profil	45
college board	45
Accessories	46

















2015 Catalogue

Otring

A rOtring mechanical pencil is a purposefully designed creative tool, that is engineered with precision for optimum performance. A problem solving tool, capturing thoughts and a device to communicate creative visions. rOtring has a wide range of analog and hybrid mechanical pencils to help getting the idea out.



















0





mechanical pencils

800+

mechanical pencil + stylus hybrid

Premium hybrid mechanical pencil + stylus, combining both modes at the same end with a unique retractable mechanism.

Hybrid

- Unique "Twist and Click" retractable mechanism of the entire sleeve and lead: pocket safe + durability
- Retract the pencil and use the stylus without the hassle of turning the tool around. Its all on the same end
- Hexagonal barrel ensuring fatigue-free writing and drawing. Shaped to prevent the tool from sliding when laid down on tables
- · Non-slip metal knurled grip

Stylus

- · Precision stylus tip for high accuracy, control and speed
- 100% effective at every angle
- Soft tip glides smoothly and is compatible with all capacitive touchscreens

Mechanical Pencil

- · rOtring brass mechanism for precision lead advancement
- Fixed lead guidance sleeve preventing break and offering an unimpeded view of the page for precise ruler-based drawing
- Built-in eraser under the push-button cap
- Refillable. Loaded with high-polymer HB leads

1900181	black	НВ	0.5 mm	1⊚tring 800+ 0.5 mm
1900182	black	НВ	0.7 mm	1⊚tring 800+ 0.7 mm
1900183	silver	НВ	0.5 mm	r€tring 800+ 0.5 mm
1900184	silver	НВ	0.7 mm	r⊚tring 800+ 0.7 mm






800 mechanical pencil

Top of the line mechanical pencil with full metal body and retractable mechanism.

- Unique "Twist and Click" retractable mechanism of the entire sleeve and lead: pocket safe + durability
- rOtring brass mechanism for precision lead advancement
- Fixed lead guidance sleeve preventing break and offering an unimpeded view of the page for precise ruler-based drawing
- Full metal body providing ideal balance of weight and feeling
- Hexagonal barrel ensuring fatigue-free writing and drawing. Shaped to prevent the tool from sliding when laid down on tables
- · Non-slip metal knurled grip
- Built-in eraser under the push-button cap
- Refillable. Loaded with high-polymer HB leads



600 mechanical pencil

Iconic mechanical pencil with full metal body and rOtring's original design.

- rOtring brass mechanism for precision lead advancement
- Fixed lead guidance sleeve preventing break and offering an unimpeded view of the page for precise ruler-based drawing
- Full metal body providing ideal balance of weight and feeling
- Hexagonal barrel ensuring fatigue-free writing and drawing. Shaped to prevent the tool from sliding when laid down on tables
- Non-slip metal knurled grip
- · Adjustable lead hardness grade indicator
- Built-in eraser under the push-button cap
- Refillable. Loaded with high-polymer HB leads

1904443	black	НВ	0.5 mm	r⊚tring 600 / 0,5 mm
1904442	black	НВ	0.7 mm	r⊚tring 600 / 0,7 mm
1904445	silver	НВ	0.5 mm	€tring 600 1 0,5 mm
1904444	silver	НВ	0.7 mm	r⊚tring 600 / 0,7 mm









500 mechanical pencil

Premium light-weight mechanical pencil with hexagonal plastic body and metal-grip-zone.

- · rOtring brass mechanism for precision lead advancement
- Fixed lead guidance sleeve preventing break and offering an unimpeded view of the page for precise ruler-based drawing
- · Plastic body for a light-weight tool
- Hexagonal barrel ensuring fatigue-free writing and drawing. Shaped to prevent the tool from sliding when laid down on tables
- · Non-slip metal knurled grip
- Adjustable lead hardness grade indicator
- Built-in eraser under the push-button cap
- Refillable. Loaded with high-polymer HB leads

1904725	black	НВ	0.5 mm	r⊚tring 500 / 0.5 mm	
1904727	black	НВ	0.7 mm	r⊚tring 500 / 0,7 mm	

300 mechanical/clutch pencil

Light-weight mechanical pencil with hexagonal plastic body.

0.5 and 0.7 mm:

- rOtring brass mechanism for precision lead advancement
- Fixed lead guidance sleeve preventing break and offering an unimpeded view of the page for precise ruler-based drawing
- · Plastic body for a light-weight tool
- Hexagonal barrel ensuring fatigue-free writing and drawing. Shaped to prevent the tool from sliding when laid down on tables
- Adjustable lead hardness grade indicator
- Built-in eraser under the push-button cap
- Refillable. Loaded with high-polymer HB leads

2.0 mm:

- Clutch-grip mechanism for secure holding of the 2.0mm lead
- Plastic body for a light-weight tool
- Hexagonal barrel ensuring fatigue-free writing and drawing. Shaped to prevent the tool from sliding when laid down on tables
- · Adjustable lead hardness grade indicator
- Built-in sharpener under the push-button cap
- Refillable. Loaded with HB leads

1904726	black	НВ	0.5 mm	1©fring 300 / 2,0 mm HB
1904724	black	НВ	0.7 mm	r⊚tring 300 / 0,5 mm
1904729	black	НВ	2.0 mm	r©tring 300 / 0,7 mm









Rapid Pro mechanical pencil

0.5 and 0.7 mm

Mechanical pencil with full metal body and cushion lead mechanism.

- Sliding sleeve and cushion lead mechanism for high level of break resistance and outstanding writing and doodling comfort
- rOtring brass mechanism for precision lead advancement
- Full metal body providing ideal balance of weight and feeling
- Non-slip metal knurled grip
- Built-in eraser under the push-button cap
- Refillable. Loaded with high-polymer HB leads

2.0 mm

Mechanical pencil with full metal body and unique precision lead advancement mechanism.

- Unique push mechanism for controlled 2mm lead transportation
- Full metal body providing ideal balance of weight and feeling
- Non-slip metal knurled grip
- Built-in sharpener under the push-button cap
- Refillable. Loaded with rOtring HB leads

Also available in ballpoint pen.












Tikky mechanical pencil

Light-weight mechanical pencil with a rubberised grip.

- rOtring brass mechanism for precision lead advancement
- Fixed lead guidance sleeve preventing break and offering an unimpeded view of the page for precise ruler-based drawing
- Plastic body for a light-weight tool
- Triangular barrel for relaxed drawing
- Soft touch rubberised grip for a great comfort
- Available models using the ISO 3098 color-coding for an easy line width identification
- Built-in eraser under the push-button cap
- Refillable. Loaded with high-polymer HB leads

Also available in ballpoint pen.

1904694	black, with co	olour-coding 0.35 mm	r@tring Tikky 0.35
1904695	black, with co	olour-coding 0.5 mm	r®tring Tikky 0.5
1904696	black, with co	olour-coding 0.7 mm	r⊚tring Tikky 0.7
1904697	black, with co	olour-coding 1.0 mm	r⊚tring Tikky 1.0
\$0801310	black, with co	olour-coding	



1904510	burgundy, with colour-coding HB 0.35 mm	r©tting Tikky 0.35
1904691	burgundy, with colour-coding HB 0.5 mm	r©tring Tikky 0.5
1904692	burgundy, with colour-coding HB 0.7 mm	r⊚tring Tikky 0.7
1904693	burgundy, with colour-coding HB 1.0 mm	r⊚tring Tikky 1.0















1904698 1904506	white white	HB HB	0.5 mm 0.7 mm	r⊚tring Tikky 0.5
1904700	black	НВ	0.5 mm	r⊚tring Tikky 0.5
1904701 1904508	blue blue	HB HB	0.5 mm 0.7 mm	r⊚tring Tikky 0.5
1904699 1904507	red red	HB HB	0.5 mm 0.7 mm	r⊚tring Tikky 0.5
1904702 1904509	yellow yellow	HB HB	0.5 mm 0.7 mm	r®tring Tikky 0.5
1904505 1904749	assorted	HB	0.7 mm k blue, 3 x red 1.0 mm k blue, 3 x red	
1904703 1904707	orange orange	HB HB	0.5 mm 0.7 mm	r⊚tring Tikky 0.5
1904704 1904708	grey grey	НВ НВ	0.5 mm 0.7 mm	r⊚tring Tikky 0.7
1904705 1904709	brown brown	HB HB	0.5 mm 0.7 mm	r⊚tring Tikky 0.5
1904706 1904710	ivory ivory	HB HB	0.5 mm 0.7 mm	retring Tikky 0.7
NEW 1937248 1937322	red ochre	HB HB	0.5 mm 0.7 mm	r⊚tring Tikky 0.5
NEW 1937321 1937325	dark slate dark slate	HB HB	0.5 mm 0.7 mm	rotting Tikky 0.5
NEW 1937249 1937323	ocean depth		0.5 mm 0.7 mm	r⊚tring Tikky 0.5
NEW 1937250 1937324	navy blue navy blue	НВ НВ	0.5 mm 0.7 mm	rotting Tikky 0.5









Fine hi-polymer leads

High-polymer leads for fine mechanical pencils.

- Extra-strong and flexible
- Easy to erase

12 pcs.

S0312410	НВ	0.35 mm	TIGORIAL PROPERTY OF STATE OF
S0312630	2B	0.5 mm	Occasions (Constitution of Constitution of Con
S0312640	В	0.5 mm	A 252202 6 2000 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
S0312650	НВ	0.5 mm	### ### ##############################
S0312660	Н	0.5 mm	Participation of the participa
S0312670	2H	0.5 mm	Control of the contro
S0231230	2B	0.7 mm	one Excess of State o
S0312680	В	0.7 mm	October 1 Octobe
S0312690	НВ	0.7 mm	Omerand Sections of Sectins of Sections of Sections of Sections of Sections of Sections of
S0312700	НВ	1.0 mm	OSSECTIONS OF THE PROPERTY OF

2.0 mm leads

Strong leads for 2.0 mm mechanical/clutch pencils.

- Extra-strong
- Easy to erase

12 pcs.

S0230351	2B	2.0 mm
S0230451	НВ	2.0 mm
S0230541	2H	2.0 mm



0









rapid B eraser

Premium eraser for polymer/graphite pencil lines.

- · Dust brushes easily off the media
- The erased surface stays clean, with no smears or marks
- Ink lines unaffected
- · Does not contain abrasives
- Available in two sizes: Rapid B20 (large) and Rapid B30 (medium)

rapid B20 1904794 (box of 20) rapid B30 1904793 (box of 30)



rapid TB 20 eraser

Combined eraser for pencil and ink lines.

- Dust brushes easily off the media
- The erased surface stays clean, with no smears or marks
- Does not contain abrasives

1904795 (box of 20)



Tikky eraser

Eraser for polymer/graphite pencil lines.

- Media surface always remains clean due to use of dirt-catching additives (no hard avrasives)
- Available in 3 different size: Tikky 40 (small), Tikky 30 (medium) and Tikky 20 (large)

 1904765
 Tikky 20

 1904767
 Tikky 30

 1904768
 Tikky 40




Eraser refills

for Tikky mechanical pencils

S0271220

for 300 mechanical pencils

1934364



1934365

for 800 mechanical pencils

1892340



















2015 Catalogue

Otring

Each rOtring pen is created with a specific technology to meet your needs when sketching, writing or drawing. Our ballpoint, fineliner, rollerpoint and multifunctional pens are a combination of ergonomics and sophisticated mechanisms to give your ideas more detail and permanence.





pens







Tikky 3 in 1 multipen

Multifunctional pen with rubberised grip and "magic view" mechanism.

- Innovative "magic view" mechanism turning it optionally into a pencil to sketch, a ballpoint pen to write or a red ballpoint to highlight. Face the desired mode icon, press the push button and simply write
- · Full plastic body for a light-weight tool
- Softtouch rubberised grip for a great comfort
- Eraser included underneath the push-button cap
- Refillable. Loaded with high-polymer HB leads and high quality metal D1 refills

Tip: Hold the pen in your hand, just look at the desired mode icon, press the push button and simply write.

BP blue / BP red / PCL 0.7 mm

1904359 black **1904452** white



BP black / BP red / PCL 0.5 mm

1904360 black **1904451** white



D1 refills for Tikky 3 in 1 multipens

S0891220 blue

S0891230 black

S0891240 red









2015 Catalogue

Rapid Pro ballpoint

Top of the line refillable ballpoint pen with full metal body.

- Long-lasting, smooth and precise ballpoint
- Retractable ballpoint pen: pocket-safe
- Full metal body providing ideal balance of weight and feeling
- Hexagonal barrel ensuring fatigue-free writing. Shaped to prevent the tool from sliding when laid down on tables
- Non-slip metal knurled grip
- Airplane-safe
- Medium line width
- Refillable. Loaded with high quality metal jumbo refill, blue ink

M

Also available in mechanical pencil.



Jumbo ballpoint refill

High quality metal refill for ballpoint pens.

• Medium line width

1904842

1904843 black M

blue











pens

Tikky ballpoint

Light-weight ballpoint pen with rubberised grip.

- Retractable ballpoint pen: pocket-safe
- Triangular barrel for relaxed writing
- Soft touch rubberised grip for a great comfort
- Airplane-safe
- Medium line width
- Loaded with plastic jumbo refill, blue ink

Also available in mechanical pencil.

1904718	white	М
1904629	black	M
1904741	blue	М
1904628	red	M
1904742	yellow	М



Tikky Graphic fineliner

Innovative fineliner with pigmented ink.

- Free Ink technology for a constant and consistent line quality and a long usage
- Pigmented lightfast and water-resistant ink for long-life drawings
- Ink level window showing the amount of ink left in the reservoir
- Available in 7 different line widths

not refillable

1904750	black ink	0.1 mm
1904752	black ink	0.2 mm
1904753	black ink	0.3 mm
1904754	black ink	0.4 mm
1904756	black ink	0.5 mm
1904757	black ink	0.7 mm
1904758	black ink	0.8 mm



















2015 Catalogue

Offring

A rOtring technical pen is a professional high precision pen offering a unique drawing technology available in 13 different line widths, with a color coding in compliance with ISO standards. A rOtring calligraphy pen, available in lettering, sketching and calligraphy line widths, is a must for people who want to put a personal stamp on their written work.














rapidograph technical pen

High precision technical pen with rOtring's unique capillary cartridge, in 13 line widths.

- Wear-resistant, hard chrome-plated thin tip allows working in exquisite detail
- Innovative cartridge including the ink helix so every time it is changed, the pen gets a new clean helix and a new pressure equalisation system for easy maintenance
- Improved temperature stability through extra large ink-helix volume and optimum location of the ventilation opening for the best reliability
- Ink can be used down to the last drop
- Ink level is clearly visible
- One ink cartridge included inside the pen
- Can be used on a variety of surfaces such as lineboard, tracing paper or vellum drawing paper

1903234 S0218960	rapidograph nib	0.1 mm 0.1 mm		,10	r⊙tring rapidograph
1903235 S0219030	rapidograph nib	0.13 mm * 0.13 mm *		.13	r⊙tring <i>rapidograph</i>
1903476 S0219110	rapidograph nib	0.18 mm * 0.18 mm *		18	r⊚tring rapidograph
1903236 S0219200	rapidograph nib	0.2 mm 0.2 mm		.20	r⊚tring <i>r</i> apidograph
1903237 S0219270	rapidograph nib	0.25 mm * 0.25 mm *		,25	r⊙tring <i>rapidograph</i>
1903238 S0219360	rapidograph nib	0.3 mm 0.3 mm		,30	r⊚tring rapidograph
1903477 S0219430	rapidograph nib	0.35 mm * 0.35 mm *		,35	r©tring <i>r</i> apidograph
1903239 S0219520	rapidograph nib	0.4 mm 0.4 mm		,40	r⊚tring <i>r</i> apidograph
1903240 S0219590	rapidograph nib	0.5 mm * 0.5 mm *		,50 0.0.0	r©tring rapidograph
1903472 S0219670	rapidograph nib	0.6 mm 0.6 mm		,60	r©tring rapidograph
1903473 S0219740	rapidograph nib	0.7 mm * 0.7 mm *		70	r⊙tring rapidograph
1903474 S0219820	rapidograph nib	0.8 mm 0.8 mm		.80	r⊚tring rapidograph
1903475 S0219890	rapidograph nib	1.0 mm * 1.0 mm *	=	1.0	r⊚tring rapidograph





Drawing tube in 3 mm dia. metal bushing.













rapidograph Set

Content: 4 rapidograph pens, 4 pen stations, 1 compass attachment, 1 stencilling joint

S0204440

_	0.25
_	0.35
	0.5



rapidograph Junior Set

Content: 3 rapidograph pens, 1 Tikky burgundy 0.5, 6 ink cartridges

S0699480 S0699490

_	0.25	_	0.2
_	0.35	_	0.4
_	0.5	_	0.6



rapidograph College Set

Content: 3 rapidograph pens, 1 Tikky burgundy 0.5, 12 hi-Polymer HB leads, 1 B20 eraser, 6 ink cartridges, 1 compass attachment

S0699500 S0699510 S0699520 S0699540





rapidograph College Set with Pen Station

Content: 3 rapidograph pens, 1 Tikky burgundy 0.5, 12 hi-Polymer HB leads, 1 B20 eraser, 3 pen stations, 3 ink cartridges, 1 compass attachment

S0699530

_	0.25
_	0.35
_	0.5



rapidograph College Set 4

Content: 4 rapidograph pens, 12 hi-Polymer HB leads, 1 B20 eraser, 6 ink cartridges, 1 compass attachment











isograph technical pen

High precision technical pen with refillable ink reservoir, in 13 line widths.


- Wear-resistant, hard chrome-plated thin tip allows working in exquisite detail
- Refillable ink reservoir ideal for frequent drawers using bottle inks
- Patented push-on sleeve for easy access to the ink helix and for fast cleaning
- Ink level is clearly visible
- Ink bottle not included
- Can be used on a variety of surfaces such as lineboard, tracing paper or vellum drawing paper

1903394 S0217870	isograph nib	0.1 mm 0.1 mm	10	r⊚tring isograph
1903395 S0217940	isograph nib	0.13 mm * 0.13 mm *		r⊚tring isograph
1903396 S0218020	isograph nib	0.18 mm * 0.18 mm *	18	r⊙tring isograph
1903397 S0218100	isograph nib	0.2 mm 0.2 mm	= 20	r©tring isograph
1903398 S0218170	isograph nib	0.25 mm * 0.25 mm *	25	r⊙tring isograph
1903399 S0218250	isograph nib	0.3 mm 0.3 mm	1,30	r⊚tring isograph
1903400 S0218320	isograph nib	0.35 mm * 0.35 mm *	- = 1,35	r⊙tring <i>Isograph</i>
1903491 S0218400	isograph nib	0.4 mm 0.4 mm	40	r⊚tring isograph
1903492 S0218460	isograph nib	0.5 mm * 0.5 mm *		r⊚tring isograph
1903493 S0218540	isograph nib	0.6 mm 0.6 mm	.60	r⊚tring isograph
1903494 \$0218600	isograph nib	0.7 mm * 0.7 mm *	70	r⊚tring isograph
1903495 S0218680	isograph nib	0.8 mm 0.8 mm	.80	r⊚tring isograph
1903496 S0218740	isograph nib	1.0 mm * 1.0 mm *	1.0	r ⊚tring isograph



Line widths for drawing per ISO 128 and DIN 15 and for lettering per ISO 3098/I-DIN 6776.

Drawing tube in 3 mm dia. metal bushing.















isograph Set

Content: 4 isograph pens, 4 pen stations, 1 bottle of ink 23ml, 1 compass attachment, 1 stencilling joint

S0202940 S0226890

_	0.25	_	0.2
_	0.35	_	0.3
	0.5	_	0.4
	0.7	_	0.5



isograph Junior Set

Contents: 3 isograph pens, 1 Tikky burgundy 0.5, 4 ink cartridges

\$0699300 \$0699320 \$0699330 \$0699340

— [0.1	_	0.2
_	0.2	_	0.3
1	0.3	_	0.5







isograph College Set

Contents: 3 isograph pens, 1 Tikky burgundy 0.5, 12 hi-polymer HB leads, 1 B20 eraser, 1 bottle of ink 23ml, 1 compass attachment

S0699370 S0699380

_	0.2		0.25
_	0.3		0.35
_	0.5	_	0.5

S0699390 S0706970 S0699400

	-	0.2	_	0.2	_	0.2
Н	-	0.4	_	0.4	_	0.3
	-	0.6	=	0.8	_	0.7



isograph Master Set

Contents: 3 isograph pens, 1 Tikky burgundy 0.5, 12 hi-polymer HB leads, 1 B20 eraser, 1 Centro compass, 1 bottle of ink 23ml, 1 compass attachment

S0699420 S0699430 S0699450

_	0.1		_	0.2		_	0.2
	0.3		_	0.3		_	0.4
	0.5		_	0.5		_	0.6
		l			ļ.		











Accessories

Rapidograph ink - capillary cartridges

Innovative capillary cartridges for Rapidograph.

- High density of pigment particles for opacity and lightfastness
- Line sharpness and adhesiveness
- Fast drying on media
- Waterproofness
- Can be used on a variety of surfaces: lineboard, tracing paper, vellum drawing paper

	Ink Colour	
S0215710	red	
S0215870	blue	
S0194640	black	



Isograph ink - bottled ink

Bottled pigmented ink for Isograph.

- High density of pigment particles for opacity and lightfastness
- Line sharpness and adhesiveness
- Fast drying on media
- Waterproofness
- Can be used on a variety of surfaces: lineboard, tracing paper, vellum drawing paper

	Ink Colour	
23 ml	red	
23 ml	green	
23 ml	blue	
23 ml	black	
23 ml	white	
250 ml	black	
Cartridges	black	
	23 ml 23 ml 23 ml 23 ml 23 ml 250 ml	23 ml red 23 ml green 23 ml blue 23 ml black 23 ml white 250 ml black



rOtring cleaning fluid for technical pens

For cleaning drawing instruments used with non-etching drawing inks.

\$0215410 100 ml











•

technical & calligraphy pens

(









ArtPen calligraphy pen

Premium calligraphy and lettering pen with ergonomic body.

- Precise nib crafted from the finest stainless steel
- Ergonomic body combining the balance and nib shape of the quill pen with the convenience of a modern fountain pen for comfortable grip
- Body compatible with ArtPen lettering, sketching and calligraphy nibs
- Two ink cartridges included
- Refillable with cartridges and ink bottle via ArtPen converter (not included)



ArtPen 1903440	Front Section S0270810	Sketch	EF	Greetings
1903641	S0270820	Sketch	F	Festival
1903642	S0270830	Lettering	М	NewYork
1903643	S0324620	Lettering	В	PARTY
1903644	S0270850	Calligraphy	1.1	Richard
1903645	S0270870	Calligraphy	1.5	Maria
1903647	S0270880	Calligraphy	1.9	Musik
1903648	S0270890	Calligraphy	2.3	2Flenu











\$0205870 Calligraphy-Set

1 x ArtPen 1.5 mm,

front section 1.9 and 2.3 mm, 6 cartridges, black ink



ArtPen/Calligraphy Inks

The best ink for your rOtring Artpen and your calligraphy work. High intensity for the optimum quality of your drawing and writing publications. Available in Black and Blue.

Brillant ink

S0194751 black **S0194681** royal blue





rOtring converter \$0227850


















2015 Catalogue

A rOtring compass is engineered to help developing the most precise and perfect designs in the easier way. We offer three ranges of compasses - Compact, Centro and Convex - for student to professional use.



compasses









compasses

Convex

Convex Giant Bow Rapid Adjustment compass with extension bar and pen adaptator

- Premium material for a professional tool.
 Unique rOtring design with rounded legs
- Convenient rapid adjustment through button-mechanism.
 Precise settings. Simultaneous opening and closing of both legs. High degree of protection against unintended leg opening and thus change in radius
- Length: 182 mm. Circles up to Ø 620 mm
- Extension bar
- Swivelling pen adaptor with fine lead insert 0.5 mm
- Lead box and spare needle

\$0233750 with extension bar,

circles up to Ø 620 mm



Convex Universal compass with telescopic extension

- Premium material for a professional tool
- Universally applicable due to interchangeable inserts such as compass attachment and extension bar. Radius easily adjusted and stays adjusted due to static friction in the compass head
- Length: 150 mm. Circles up to Ø 520 mm. Pivot: Ø 3.5 mm.
- · Convenient integrated extension bar
- · Lead box and spare needle

S0233471







(



Centro

Centro Giant Bow Rapid Adjustment compass

(+ optional extension bar)

- Premium material
- Convenient rapid adjustment through button-mechanism.
 Precise settings. Simultaneous opening and closing of both legs. High degree of protection against unintended leg opening and thus change in radius
- Length: 170 mm. Pivot: Ø 4.0 mm
- Circles up to Ø 400 mm (S0214470 without extension bar) or circles up to Ø 640 mm (S0214540 with extension bar)
- Lead box and spare needle

\$0214470 without extension bar,

circles up to 400 mm dia.


\$0214540 with extension bar,

circles up to 640 mm dia.



Centro Geometry compass

- Premium material
- Precise radius setting by setting through central adjusting wheel and spindle. Simultaneous opening and closing of both legs. Highly resistant to accidental changes in radius
- Length: 160 mm. Circles up to Ø 250 mm
- Lead box and spare needle







Centro Rapid Adjustement compass silver edition

Infinitely variable radius adjustment in silver edition

- Premium material
- Convenient rapid adjustment through operating the legs.
 Precise settings. Simultaneous opening and closing of both legs. High degree of protection against unintended leg opening and thus change in radius
- Lead box and spare needle

S0830390



Centro Universal compass

(+ optional extension bar and pen holder)

- · Premium material
- Radius easily adjusted and stays adjusted due to static friction in the compass head
- Circles up to Ø 380 mm (S0214320 without extension bar) or circles up to Ø 540 mm (S0214390 with extension bar and pen holder)
- Lead box and spare needle

S0214320

S0214390

with extension bar and pen holder









7 pieces

- Universal compass: Universally applicable due to interchangeable inserts such as compass attachment and extension bar. Radius easily adjusted and stays adjusted due to static friction in the compass head.
 Circles up to Ø 540 mm
- Extension bar
- Dividers compass: For marking line segments needles in both legs. Radius stays adjusted due to static friction in the compass head.
- Small Bow compass
- Drawing pen and drawing pen holder
- Lead box and spare needle

S0233370

Centro Universal set 8 pieces

- Universal compass: Universally applicable due to interchangeable inserts such as compass attachment and extension bar. Radius easily adjusted and stays adjusted due to static friction in the compass head. Circles up to Ø 540 mm
- Extension bar
- Dividers compass: For marking line segments needles in both legs. Radius stays adjusted due to static friction in the compass head
- Small Bow compass
- Bow compass
- Drawing pen and drawing pen holder
- · Lead box and spare needle







compasses

Compact

Compact Rapid Adjustement compass

- Rapid adjustment through operating the legs. Precise settings.
 Simultaneous opening and closing of both legs. High degree of protection against unintended leg opening and thus change in radius
- Plastic grip zone with dots for comfortable use
- Length: 170 mm. Circles up to Ø 360 mm. Pivot: Ø 4.0 mm
- Lead box and spare needle


S0676580



Compact Geometry compass

- Precise radius setting. Simultaneous opening and closing of both legs. Highly resistant to accidental changes in radius
- Plastic grip zone with dots for comfortable use
- Length: 170 mm. Circles up to Ø 360 mm. Pivot: Ø 4.0 mm
- · Lead box and spare needle

S0676570



Compact Giant Universal compass

- Universally applicable due to interchangeable inserts such as compass attachment and extension bar. Radius easily adjusted and stays adjusted due to static friction in the compass head
- Plastic grip zone with dots for comfortable use
- Length: 160 mm. Circles up to Ø 360 mm. Pivot: Ø 3.5 mm
- Lead box and spare needle

S0676550





(





Compact Giant Universal set 6-pieces

- Giant universal compass: Universally applicable due to interchangeable inserts such as compass attachment and extension bar.
 Radius easily adjusted and stays adjusted due to static friction in the compass head
- Stable extension bar
- Compass attachment with universal compass holding device
- Drawing pen and drawing pen holder
- Lead box and spare needle

S0676560



Compact Universal compass

(+ optional extension bar and compass attachment)

- Universally applicable due to interchangeable inserts such as compass attachment and extension bar. Radius easily adjusted and stays adjusted due to static friction in the compass head
- Lead box
- Length: 130 mm. Pivot: Ø 3.5 mm
- Circles up to Ø 320 mm (S0676530 without extension bar) or circles up to Ø 480 mm (S0676540 with extension bar and compass attachment)

S0676530









compasses

Accessories

Compass attachement with universal holding device

- With stepped peg to fit 3 .5 mm and 4 .0 mm dia
- The universal holding device takes pens/pencils up to 11.5 mm dia
 COAF14F0.





















2015 Catalogue

Otring

A rOtring drawing aid is a professional tool made of high-quality durable materials. Our selection of set squares, rulers, templates, lettering stencils and other drawing aids was designed to answer all your needs.

36 | 37



drawing aids







drawing aids

Professional Set Square

Crystal clear, robust plastic, convenient, removable grip Clearly and precisely embossed Counter-directional numbering with coloured background Indian ink edges and naps, angle scales 180°/1° Hypotenuse 32 cm with 30 cm / 1 mm scale

S0699270

Professional Set Square

High-quality plexiglas
Convenient removable handle
Clear and precise fine imprinting
Contrary scale with coloured background
Tracing edges and ink naps
Angle scale 180°/1°
Hypotenuse 25 cm with 22cm/1 mm scale **\$0451820**

Large Geometry Set Square with Handle

Crystal-clear, stable plastic Robust handle Contrary scale with coloured background Bevelled edges and ink naps Hypotenuse 23 cm with 20 cm/1 mm scale

S0903950

Geometry Set Square

Crystal-clear, stable plastic Contrary scale with coloured background Bevelled edges and ink naps Hypotenuse 16 cm with 14 cm/1 mm scale

S0237630

Geometry Set Square with Handle

Crystal-clear, stable plastic
Robust removable handle
Contrary scale with coloured background
Bevelled edges and ink naps
Hypotenuse 16 cm with 14 cm/1 mm scale

S0903940

Geometry Set (4 pieces)

Crystal-clear, stable plastic, bevelled edges and/or tracing edges

Contents: 30 cm ruler, semicircular protractor, set square 30°/60°, hypotenuse 23 cm, set square 45°, hypotenuse 20 cm

S0221370

Set Squares Sets of 2, 45° and 30°/60° set square


Crystal-clear, stable plastic, tracing edges all round , 1 mm scale $\,$


\$0237840 45°, hypotenuse 25 cm, 30°/60°, hypotenuse 29 cm **\$0237870** 45°, hypotenuse 32 cm, 30°/60°, hypotenuse 37 cm

\$0237900 45°, hypotenuse 36 cm, 30°/60°, hypotenuse 41 cm

















(**3**)

2015 Catalogue







Semicircular Protractor

Crystal-clear, stable plastic, contrary scale, centring point and bevelled edges Scaling: 10 cm

S0221230

Standard Parabola ($y = x^2$)

Crystal-clear, stable plastic, bevelled edges on the outside contours, sine/cosine curves A = 1 and A = 0.5, tangent curve

Size: $123 \times 70 \times 1.8 \text{ mm}$

S0673400



Burmester Curves Set (3 pieces)

For drawing of universal curves

Crystal-clear, stable plastic, double-sided tracing edges all round

S0221301

Flat Ruler

Crystal-clear, stable plastic, bevelled edge and tracing edge, 1 mm increments

S0220870	Scaling: 16 cm
S0220950	Scaling: 30 cm
S0221450	Scaling: 40 cm
S0221500	Scaling: 50 cm



Plate Ruler

Crystal-clear, stable plastic, textured plate Scale on both sides, 1×1 -mm scale, 1×0.5 -mm scale

\$0221020 Scaling: 30 cm



Triangular reduction scales

S0236	961	Engineer/DIN ISO 5455			DIN	
1:2	1:5	1:10 1	1:20	1:50	1:100	
S0220	481	Architect	i			1
1:20	1:25	1:50	1:75	1:100	1:125	
S0220	561	School				2
1:20	1:25	1:331/3	1:50	1:75	1:100	
S0220	641	Architect	:			4
1:10	1:20	1:25	1:30	1:40	1:50	
S0220	721	Surveying	g			6
1:500	1:1000	1:1250	1:1500	1:2000	1:2500	
S0237	031	Mechani	cal design			9
1:10	1:15	1:20	1:25	1:33 ¹ / ₃	1:50	







Lettering stencils in Z-profile per ISO 3098/I, lettering type B

Can be pulled away from a line of text downwards without smudging the ink

Roman	Character height	rapidograph	isograph	Colour code
	Height			Code

\$0228530 5.0 mm 1903240 1903492 brown



H-profile lettering stencils Type 1451

Roman	Character	rapidograph	isograph
	heiaht		


\$0228061 5.0 mm 1903240 1903492

ÄBCDEGHJKLMN.ÖPRSTÜVWXYZ I 12345670-990

"Studio" electrical engineering angle template

A drawing aid for metalworking students. With 15°, 30°, 45°, 60°, 75°, and 90° angles, mm coordinate graduation, protractor, circles from 1-18 mm dia., and holes for hatching. Symbols and easy-to-combine symbol elements per DIN 40700, Latin and Greek characters in 3.5 mm and numerals in 3.5 and 5.0 mm sizes per ISO 3098/I By.






Circles templates 1-30 mm

Circles of 1-30 mm dia. in 1 mm increments. With polygon guides and protractor. Radii 4, 6, 10, 16 mm. With millimetre ruler and fingerlift.






Circles templates 1-36 mm

Circles of 1-36 mm dia. in 1 mm increments. With polygon guides and protractor. Radii 6, 10, 16, 20 mm. With millimetre ruler and fingerlift.

S0221691



Radii template

48 radii from 0.5-40 mm, 0.5-2 mm in 0.1 mm increments, radii per <u>DIN 250 underlined.</u> Built-in semicircular protractor. With surface symbols.

S0238341





۹












drawing aids

Architect's combination template


Separate layout of symbols for furniture, sanitary fittings, electrical fittings, door openings, level and direction symbols, insulation.

S0238711 • Scale 1:50 250 x 150 x 1.2 mm U 0.35 <u>m</u>



See above

S0238781 • Scale 1:100 190 x 95 x 1.2 mm ∪0.35 <u>m</u>




Furniture templates

(

S0238921 • Scale 1:50 300 x 155 x 1.2 mm ∪ 0.5 <u>m</u>

S0238851 • Scale 1:100 190 x 95 x 1.1 mm ∪ 0.35 <u>m</u>




ISOMETRIC ellipses template

Axial ratio 0.707: 1.225 (1:1.732)/35° 16′, isometric axes 2-60 mm.

The template edges are designed to enable the ellipses to be positioned in the major isometric planes.

S0238021 -295 x 145 x 1.2 mm ∪0.5 <u>m</u>



Template with tracing edge



Fine-lead mechanical pencil



Template with bosses





Technical pen
















2015 Catalogue

Offring

A rOtring drawing board is a robust board of unbreakable and non-warping material enabling stability and direct measurement for the best drawing precision. Available in A4 and A3 sizes, this professional and premium tool offer an ergonomic design for easy and comfortable working.













rOtring drawing table High-quality drawing table wit

High-quality drawing table with complete drawing system.

- Complete drawing system with drawing board laminated on all sides
- Anodised aluminium guide track with plastic guide coating
- Parallel straightedge with Stop-and-Gomechanism
- Drawing head with STOP-and-GO mechanism
- · Adjustable plastic tilter


\$0213920 A2 (board size 700 x 600 x 16 mm)



rapid drawing board A4 and A3

Top of the line premium board.

- Robust board of unbreakable, non-warping material.
- Two magnetic clamp strips with central pushbutton operation and additional corner clamp at top-right hand corner for easy, secure and exact positioning of the media at all four corners. No danger of wrinkling the media when erasing.
- Parallel straightedge with Stop-and-Go-mechanism and second locking facility on A3 sized boards for added stability.
- Guide rails designed for permanently smooth, featherlight straight-edge movement.
- Media-size markings to aid in drawing the drawing field lines.
- Compass plotting scale for picking up radii quickly.
- Tilters for comfortable working.
- Rapid set square for drawing vertical, horizontal lines and angles, with full accuracy.



\$0232710 rapid A4 **\$0213910** rapid A3

rapid drawing board in college case

- Rapid drawing board features above.
- Rigid case.
- Features guides to hold the drawing board securely.
- Space for books and utensils.

\$0232980 rapid A3 + college case









(**6**)








profil drawing board A4 and A3

Full-featured board.

- Robust board of unbreakable, non-warping material.
- One magnetic clamp strip with automatic hold-open and additional corner clamp for easy positioning and clamping the media.
- Parallel straightedge with Stop-and-Go-mechanism and second locking facility on A3 sized boards for added stability.
- Guide rails designed for permanently smooth, featherlight straight-edge movement.
- Media-size markings and viewing holes for checking the exact placement of the media.
- Compass plotting scale for picking up radii quickly.




\$0232430 profil A4 **\$0213750** profil A3

college board

Drawing board with parallel straightedge.

- One magnetic clamp strip with scale and additional corner clamp for easy positioning.
- Parallel straightedge with Stop-and-Gomechanism and grip area.
- Straightedge guide slots on all four sides with signal humps.

S0213660







Accessories

Carry bag

Protective carry bag for drawing board.

- Tough weatherproof nylon.
- Detachable shoulder strap.
- Space for books and utensils.
- Empty.
- Available in two sizes for A4 and A3 boards.

\$0232160 for A3 boards **\$0232200** for A4 boards

College case

Protective case for drawing board.

- Rigid case.
- Features guides to hold the drawing board securely.
- Empty.
- Available in one size for A3 boards.

\$0232510 for A3 boards













Professional drawing head

Premium drawing head for drawing board.

- Automatic setting every 15°, locking of any angle in between.
- Free swing-setting.
- Contra-rotating 0-90° scale.
- Break mechanism to lock in position on straightedge.
- Compatible with all rOtring drawing boards (current catalogue).

S0213830

Junior drawing head

Drawing head for drawing board.

- 15° ratchet action.
- Compatible with all rOtring drawing boards (current catalogue)...

S0213680



Rapid set square

Set square for drawing board.

- For direct measurement and drawing of vertical and horizontal lines and angles.
- For hatching.
- Compatible with all rOtring drawing boards (current catalogue).

S0232240













•





•

•





Product of Newell Europe sàrl 10 chemin de Blandonnet 1214 Vernier, Switzerland

Represented by NWL Hamburg Services GmbH Albert-Einstein-Ring 17 22761 Hamburg, Germany Distributed in Poland by Newell Poland SA plac Andersa 7 61-894 Poznań, Poland

Offring

www.rOtring.com

